

| Embargo Date | October 11, 2022 |
|------------------------------|---|
| Product Full Name / Title | CORSAIR MP600 PRO XT Gen4 PCIe x4 NVMe M.2 SSD – High-Density TLC NAND – Aluminum Heatspreader – M.2 2280 Form- Factor |
| Product Imagery Link | https://corsair.sharefile.com/f/fod721cd- f257-4074-9e7d-49a4d0439a62 |
| Video Link | https://corsair.sharefile.com/f/fo1e2b0a- 66a8-434e-bce3-68aff2f3e6fc |
| Compatibility List | M.2 2280 Interface Connector Windows 11, Windows 10, Mac OS X |
| Description | Corsair MP600 PRO XT 8TB M.2 NVMe PCle Gen. 4 x4 SSD |



Overview

100 Word Product Description

The CORSAIR MP600 PRO XT Gen4 PCIe x4 NVMe 1.4 M.2 SSD provides extreme storage performance, using Gen4 PCIe technology to achieve unbelievably fast sequential read speeds of up to 7,100MB/sec and sequential write speeds of up to 6,800MB/sec. High-density TLC NAND flash memory offers an ideal mix of performance and endurance, with longevity up to 3,000TB Written. Contained in a compact M.2 2280 form factor with a stylish aluminum heatspreader and connecting over a high-speed NVMe 1.4 PCIe Gen4 x4 M.2 interface, the MP600 PRO XT is easy to install into a compatible motherboard and is backed by a five-year warranty. If you're looking for extreme storage performance, go with Gen4 for blazing fast speed.

Overview

50 Word Product Description

The CORSAIR MP600 PRO XT Gen4 PCIe x4 NVMe 1.4 M.2 SSD provides extreme storage performance, using Gen4 PCIe technology to achieve unbelievably fast sequential read speeds of up to 7,100MB/sec and sequential write speeds of up to 6,800MB/sec. High-density TLC NAND flash memory offers an ideal mix of performance and endurance, while a stylish aluminum heatspreader helps maintain high speeds.

Overview

25 Word Product Description

The CORSAIR MP600 PRO XT Gen4 PCIe x4 NVMe 1.4 M.2 SSD provides extreme storage performance, using Gen4 PCIe technology to achieve unbelievably fast sequential read and write speeds.

Features and Benefits

A PCIe Gen4 x4 extreme data performance controller delivers up to 7,100MB/sec sequential read and 6,800MB/sec sequential write speeds*, for phenomenal read, write, and response times that leave standard M.2 SSDs in the dust. Leveraging PCIe Gen4 NVMe 1.4 technology for maximum bandwidth, the MP600 PRO XT delivers incredible storage performance. High-density 3D TLC NAND provides the ideal mix of performance and endurance to keep your drive performing at its best for years. A stylish aluminum heatspreader helps disperse heat and reduce throttling, so your SSD maintains sustained high performance. With outstanding endurance up to 3,000TB Written*, the MP600 PRO XT's longevity ensures that it reliably stores your data through many years of use.



| • | More than 1M+ input/output operations per second (IOPS) mean your system and games load faster than |
|---------|--|
| | ever. |
| • | Compact M.2 2280 industry standard form-factor fits directly onto your motherboard. |
| • | Backward compatible with PCIe Gen3** for the versatility to run in a multitude of systems. |
| • | CORSAIR SSD Toolbox software enables advanced drive controls from your desktop, such as secure erase |
| • | Comprehensive five-year warranty for peace of mind. |
| | * Performance and endurance vary by capacity. |
| | ** Lower performance on PCle Gen3. |
| Style 2 | |
| • | |
| | read and 6,800MB/sec sequential write speeds, for phenomenal read, write, and response times that |
| | leave standard M.2 SSDs in the dust. |
| • | Your PC Made Faster: Load games, boot Windows, open and transfer files, all faster than ever. |
| • | High-speed Gen4 PCle x4 NVMe 1.4 M.2 Interface: Using PCle Gen4 technology for maximum bandwidth, |
| | the MP600 PRO XT delivers incredible storage performance |
| • | High-Density 3D TLC NAND: Provides the ideal mix of performance and endurance to keep your drive |
| | performing at its best for years. |
| • | Stylish Aluminum Heatspreader: Helps disperse heat and reduce throttling, so your SSD maintains |
| | sustained high performance. Outstanding Endurance: Guaranteed for up to 3,000TB Written, the MP600 PRO XT's longevity ensures |
| • | that it reliably stores your data through many years of use. |
| | More Than 1M+ IOPS: High input/output operations per second mean your system and games load faster |
| • | than ever. |
| • | Compact M.2 2280 Form-Factor: Fits directly onto your motherboard. |
| • | Backward Compatibility with PCIe Gen3**: The versatility to run in a multitude of systems. |
| | |
| • | CORSAIR SSD Toolbox Software: Enables advanced drive controls from your desktop including secure eras |
| | and firmware updates. |
| • | Comprehensive Five-Year Warranty: Long-term reliability and industry-leading customer support for peac of mind. |
| | * Performance and endurance vary by capacity. |
| | ** Lower performance on PCIe Gen3. |

Technical Specification

| Capacity: | 8TB | Sequential Read(CDM): | Up to 7,000 MB/s |
|-----------------|-----------------|-------------------------|---------------------|
| Interface Type: | PCle Gen 4.0 x4 | Sequential Write (CDM): | Up to 6,100 MB/s |
| Form Factor: | M.2 2280 | 4K Random Read: | Up to 950K IOPS |
| PCle Protocol: | NVMe 1.4 | 4K Random Write: | Up to 1.2M IOPS |
| Controller: | PS5018-E18 | Software: | Corsair SSD Toolbox |
| NAND Type: | 3D TLC | PCB Form Factor: | Double-Sided |
| DRAM cache: | Yes | | |

Power Consumption

| Idle: | < 5mW | Active Read: | 10.9W |
|------------|-----------|---------------|-------|
| Endurance: | 6,000 TBW | Active Write: | 10.5W |



| MTBF: | 1,600,000 hours | Devslp: | PS4: <3mW |
|------------------------------|-----------------|---------------------|------------|
| TRIM: | Yes | SMART: | Yes |
| Garbage collection: | Yes | Bad block: | Yes |
| Static and Dynamic leveling: | Yes | Encryption support: | AES 256bit |

Environmental Specification

| Operating Temperature: | 0°C to +70°C | Storage Humidity: | 40°C 93% RH |
|------------------------|----------------|-------------------|------------------|
| Storage Temperature: | -40°C to +85°C | Shock: | 1500G |
| Operating Humidity: | 40°C 90% RH | Vibration: | 20Hz~80Hz/1.52mm |

Box Contents

MP600 PRO XT Series M.2 SSD with heatsink, QSG

Search Terms

pcie gen4 nvme ssd m.2 ssd Additional Keywords: corsair ssd nvme ssd nvme pcie gen4 x4

UPC

| O : : | | | | 4.0 |
|--------------|------|--------|--------|------|
| Chi | nnın | a Int | orma | +IAN |
| -OHI | | u IIII | OHILIA | |
| | | | | |

| Part Number/ | Part Number | UPC Co | de | |
|-----------------------------|--|--|----|--|
| Country of Origin | TAIWAN | | | |
| Harmonized Tariff Code | 8523.51.0000 | | | |
| Warranty | 5 Years | | | |
| Master Pack Shipping Weight | 11.8kg / 26.01lbs | | | |
| Master Pack Dimensions | 660mm x 325mm x 285mm / 25.98" x 12.80" x 11.22" | | | |
| Master Pack Quantity | 80 | 80 | | |
| Inner Pack Shipping Weight | 1.35kg / 2.98lbs | | | |
| Inner Pack Dimensions | 320mm x 150mm x 125mm / | 320mm x 150mm x 125mm / 12.60" x 5.91" x 4.92" | | |
| Inner Pack Quantity | 10 | 10 | | |
| Shipping Weight | 0.117kg / 0.258lbs | 0.117kg / 0.258lbs | | |
| Shipping Dimensions | 135mm x 110mm x 28mm / 5.31" x 4.33" x 1.102" | | | |
| Product Weight | 0.066kg / 0.146lbs | | | |
| Product Dimensions | 22mm x 80mm x 19mm / 0.87" x 3.15" x 0.59" | | | |
| Shipping information | | | | |



840006696551

CSSD-F8000GBMP600PXT















